

Santiago Canyon College  
CIS 132 JavaScript  
Quiz 2

Please select the best answer from the questions below. Put your answers on a #882 Scantron. There are 15 questions worth 2pts each.

1. An external \_\_\_\_\_ can be used to format the elements in an XHTML document.  
  
A. HTML Style Sheet  
B. JS file  
C. ASP file  
D. Cascading Style Sheet
  
2. You can use ems or percentages to specify a \_\_\_\_\_ unit of measurement.  
  
A. Relative  
B. Fixed
  
3. Currently, the best XHTML tag for including a CSS file with an XHTML document is the link tag.  
  
A. True  
B. False
  
4. When you code a selector that selects by \_\_\_\_\_, the rule set always applies to just one XHTML element.  
  
A. ID  
B. Class  
C. Tag  
D. None of the above
  
5. When you use CSS to float an XHTML element, that element is placed to the right or left of the other elements.  
  
A. True  
B. False

6. You can use CSS to format which of the following:
  - a. A tag
  - b. An id
  - c. A class
  - d. All of the above
  
7. Which of the following units of measurement is equal to the font size for the current font?
  - A. a pixel
  - B. a point
  - C. an em
  - D. a percentage
  
8. Which of the following is NOT one of the ways that you can specify a color in CSS?
  - A. `color: white;`
  - B. `color: rgb(50%, 25%, 25%);`
  - C. `color: getColor("red");`
  - D. `color: #cd5c5c;`
  
9. Which of the following is a valid selector for a class named menu?
  - A. `menu`
  - B. `#menu`
  - C. `.menu`
  - D. `> menu`
  
10. To change the style of an element when the mouse is hovering over it, you can use
  - A. the universal selector
  - B. a descendant selector
  - C. a child selector
  - D. a pseudo-class selector like `"a:hover"`
  
11. Which CSS symbol is used for a universal style element?
  - A. `#`
  - B. `.`
  - C. `<u>`
  - D. `*`
  - E. `==`

12. Underlining and overlining are a type of text formatting that is referred to as text decoration.
- A. True
  - B. False
13. To provide the top-level formatting for a page, a style sheet commonly formats
- A. body and div tags
  - B. classes
  - C. universal selectors
  - D. attributes
14. Within a CSS rule set, a declaration, or rule, includes
- A. a selector and a block
  - B. a selector and a value
  - C. a property and a selector
  - D. a property and a value
15. The <title> tag in the <head> section of an XHTML document specifies the text
- a. that's used to refer to the document
  - b. that's used to refer to the application
  - c. that's displayed in the title bar of the browser
  - d. that's displayed in the status bar of the browser